



## NTN Bearing Driveshaft do Brasil



0.787 Inch | 20 Millimeter x 2.047 Inch | 52  
Millimeter x 0.874 Inch | 22.2 Millimeter SKF 3304  
A-2RS1/C3 Angular Contact Ball Bearings

Bearing No. 3304 A-2RS1/C3

3304 A-2RS1/C3 Bearing 2D drawings and 3D CAD  
models

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.234
Product Group	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree
Internal Clearance	C3-Loose
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 22.2MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C3-Loose;



## NTN Bearing Driveshaft do Brasil

	Steel Cage; 30 Degree; 1 (Single)
Other Features	NBR Contact Seal
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	3304 A-2RS1/C3
Weight / LBS	0.5147
B	0.874 Inch   22.2 Millimeter
d	0.787 Inch   20 Millimeter
D	2.047 Inch   52 Millimeter
bore diameter:	20 mm
operating temperature range:	-40 to +210 ° F
outside diameter:	52 mm
cage material:	Steel
overall width:	0.8750 in
outer ring width:	22.2 mm
contact angle:	30 °
maximum rpm:	9000 RPM
row type & fill slot:	Double-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C3
precision rating:	Not Rated
closure type:	Double Seal
fillet radius:	1 mm
radial dynamic load capacity:	23.6 kN
series:	33



## NTN Bearing Driveshaft do Brasil

radial static load capacity:

14.6 kN