



NTN Bearing Driveshaft do Brasil



42.862 mm x 85 mm x 49.2 mm SKF YAR
209-111-2F Insert Bearings Spherical OD

Bearing No. YAR 209-111-2F

YAR 209-111-2F Bearing 2D drawings and 3D CAD models

Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.66
EAN	7316577754639
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	M Seal
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	1-11/16" Bore; Wide Inner Ring; Ball Bearing; 1-15/16" Length Thru Bore; 0.827" Outer Race Width; 3.347" Outside Diameter; Relubricatable; M Seal Seal; Set Screw Mounting Method
Inch - Metric	Inch
Other Features	Single Row Medium Duty Grub Screw Has Flinger
Category	Insert Bearings
UNSPSC	31171536



NTN Bearing Driveshaft do Brasil

Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	YAR 209-111-2F
Weight / LBS	1.46
d	1.688 Inch 42.875 Millimeter
D	3.347 Inch 85.014 Millimeter
D	1.937 Inch 49.2 Millimeter
Outer Race Width	0.827 Inch 21.006 Millimeter
bore diameter:	1.6875 in
radial dynamic load capacity:	33.2 kN
outside diameter:	85 mm
radial static load capacity:	21.6 kN
outer ring width:	22 mm
finish/coating:	Uncoated
inner ring width:	49.2 mm
maximum rpm:	4300 RPM
bore type:	Round
seal type:	Contact with Flinger
locking device:	Set Screw
d	42.862 mm
D	85 mm
B	49.2 mm
C	22 mm
d ₁	56.8 mm
B ₄	8 mm
r _{1,2} min.	1 mm
s ₁	30.2 mm



NTN Bearing Driveshaft do Brasil

Basic dynamic load rating C	33.2 kN
Basic static load rating C ₀	21.6 kN
Fatigue load limit P _u	0.915 kN
Limiting speed ¹⁾	4300 r/min
Calculation factor f ₀	14
Mass complete bearing	0.73 kg
Thread grub screw G ₂	5/16-24 UNF
Hexagonal key size for grub screw N	3.969 mm
Recommended tightening torque for grub screw	6.5 N · m